

AMENDMENTS TO THE CLAIMS:

37. (Currently amended) A memory card comprising:

a circuit board having an exposed rear side, a covered front side, and edges, the exposed side having a conductive layer of the circuit board exposed to form contact terminals arranged in only one row and positioned away from an edge of the circuit board, the covered side comprising at least one integrated circuit including flash memory, circuit traces, and passive components, the circuit board also having vias connecting the contacts of the exposed side with the integrated circuit and circuit traces of the covered side;

a set of circuit elements including at least one integrated circuit having a flash EEPROM and passive components; and

a one piece cover over the front side and edges of the circuit board, such that the rear side of the circuit board is exposed to form substantially all of the rear side of the memory card.

38. (Original) The memory card of claim 37 wherein the integrated circuit is encapsulated directly onto the front side of the circuit board.

39. (Original) The memory card of claim 37, wherein the cover material includes molded plastic.

40. (Original) The memory card of claim 38, wherein the circuit board is attached to the cover by epoxy.

41. (Original) The memory card of claim 37, wherein the covered side comprises at least two integrated circuits and passive devices.

42. (Original) The memory card of claim 37, wherein the thickness of the card is less than 12 mils.

43. (Original) The memory card of claim 37, wherein the size of the card is not larger than 1 ¼ inches long by 7/8 of an inch wide.

44. (Currently amended) ~~The memory card of claim 37,~~ A memory card comprising:
a circuit board having an exposed rear side, a covered front side, and edges, the exposed side having a conductive layer of the circuit board exposed to form contact terminals arranged in only one row and positioned away from an edge of the circuit board, the covered side comprising at least one integrated circuit including flash memory, circuit traces, and passive components, the circuit board also having vias connecting the contacts of the exposed side with the integrated circuit and circuit traces of the covered side;

a one piece cover over the front side and edges of the circuit board, such that the rear side of the circuit board is exposed to form substantially all of the rear side of the memory card;
and

wherein the contact terminals have a leading edge and a trailing edge, and wherein one or more contact terminals of the row of contact terminals has a leading edge positioned ahead of the leading edge of the remainder of the row of contact terminals.

45. (Original) A memory card comprising:
an exposed side consisting of:
the exposed face of a circuit board with a conductive layer exposed to form electrical contacts substantially flush with the exposed face of the circuit board, the contacts positioned away from the edge of the card; and

a covered side comprising:

a set of circuit elements including at least one integrated circuit having a flash EEPROM
and passive components; and

a one piece cover encasing the covered side and edges but not the exposed side of the
circuit board.

46. (Original) The memory card of claim 45, wherein the integrated circuit is
encapsulated directly onto the front side of the circuit board.

47. (Original) The card of claim 45, wherein the cover is attached to the covered side
of the circuit board by epoxy.

48. (Original) The card of claim 45, wherein the cover is attached to the covered side
and edges of the circuit board by injection molding.

49. (Original) The card of claim 45, wherein on the exposed side of the card, the set
of terminals is the only electrical component exposed.

50. (Original) The card of claim 45, wherein the circuit elements include at least two
integrated circuits and passive devices.

51. (Original) A circuit board having a front side, a back side, and edges:
the back side of the circuit board exposed and having contacts, the contacts exposed flush
with the back side of the circuit board and positioned away from an edge of the circuit board, the
contacts being the only electrical components on the back side of the circuit board; and

the front side covered and comprising a set of circuit elements on the circuit board, the set of circuit elements comprising at least one integrated circuit having flash EEPROM, and passive components;

wherein the circuit board is a memory storage device.

52. (Original) The circuit board of claim 51, wherein the contacts are formed from a conductive layer of the circuit board.

53. (Original) The circuit board of claim 52, wherein the contacts are arranged in only one row.

54. (Original) The circuit board of claim 51, wherein the cover includes molded plastic.

55. (Original) The circuit board of claim 51, wherein the cover extends around the perimeter of the circuit board but does not cover the exposed face of the circuit board.

56. (Original) The circuit board of claim 51, wherein the contacts on the front side are connected to the set of circuit elements on the backside by vias.

57. (Original) A package comprising:
a circuit board;
contact terminals on a first side of the circuit board;
one or more integrated circuits, passive components, and circuit traces on a second side of the circuit board, one or more of the integrated circuits comprising nonvolatile memory;
wherein the first side of the circuit board forms substantially all of a first side of the package; and

packaging material surrounding the integrated circuits and passive devices,
wherein the packaging material forms the second side of the package;
wherein the package itself, without further integration, forms a memory card.

58. (Original) The package of claim 57, wherein the contact terminals of the first side of the package are spaced away from the edge of the package.

59. (Original) The package of claim 58, wherein the contact terminals are substantially flush with the first side of the package.

60. (Original) The package of claim 58, wherein the contact terminals are in one row.

61. (Original) The package of claim 60, wherein the contact terminals have a leading edge and a trailing edge, and wherein one or more contact terminals of the row of contact terminals has a leading edge positioned ahead of the leading edge of the remainder of the row of contact terminals.

62. (Original) A memory card comprising:
a circuit board having an exposed rear side, a covered front side, and edges, the exposed side having a conductive layer of the circuit board exposed to form contact terminals arranged in only one row and positioned away from a first edge of the circuit board, the covered side comprising at least one integrated circuit including flash memory, circuit traces, and passive components, the circuit board also having vias connecting the contacts of the exposed side with the integrated circuit and circuit traces of the covered side; and

a one piece cover over the front side and edges of the circuit board, such that the rear side of the circuit board is exposed to form substantially all of the rear side of the memory card,

wherein the circuit traces comprise test connections located on a portion of the circuit board that is removed after testing but before the one piece cover is affixed to the circuit board.

63. (Original) The memory card of claim 62, wherein the row of contact terminals is parallel to the first edge and positioned proximally to the first edge of the circuit board, and wherein the test connections are positioned at a second edge of the circuit board, said second edge and said test connections positioned distally from said first edge.

64. (New) The memory card of claim 37, wherein the contact terminals have a leading edge and a trailing edge, and wherein one or more contact terminals of the row of contact terminals has a leading edge positioned ahead of the leading edge of the remainder of the row of contact terminals.